A Level Pure Mathematics

Practice Test 5: Coordinate Geometry in the (x, y) Plane

Instructions:

Answer all questions. Show your working clearly. Calculators may be used unless stated otherwise.

Time allowed: 2 hours

Section A: Distance and Midpoint Formulas

- 1. Find the distance between these pairs of points:
 - (a) A(7,2) and B(1,10)
 - (b) C(-6,1) and D(2,-7)
 - (c) E(-3, -6) and F(5, 2)
 - (d) G(4v, 3v) and H(-v, 7v)
- 2. Find the midpoint of the line segment joining:
 - (a) P(5,13) and Q(11,9)
 - (b) R(-8,1) and S(2,-11)
 - (c) T(6w, 3w) and U(-3w, 9w)
 - (d) The point (8z, -2z) and (-4z, 6z)
- 3. The point M(1,6) is the midpoint of the line segment AB where A(-3,2).
 - (a) Find the coordinates of point B
 - (b) Find the length of the perpendicular from M to the x-axis
 - (c) Calculate the area of triangle OAB where O is the origin
- 4. Points A(5,1), B(9,4), and C(3,8) form a triangle.
 - (a) Prove that triangle ABC is scalene
 - (b) Find the coordinates of the centroid G
 - (c) Calculate the distance from each vertex to the centroid
 - (d) Verify that AG + BG + CG = AB + BC + CA is false (explain the correct relationship)
- 5. The points P(-1,5), Q(7,8), R(4,16), and S(-4,13) form a quadrilateral.
 - (a) Show that PQRS is a parallelogram
 - (b) Find the coordinates of the point of intersection of the diagonals
 - (c) Calculate the area using the shoelace formula
 - (d) Determine if the parallelogram is a rhombus

Section B: Equations of Straight Lines

- 6. Find the equation of the straight line:
 - (a) With gradient $\frac{7}{3}$ passing through (6, -2)
 - (b) Passing through (-3, 8) and (2, -7)
 - (c) With x-intercept -6 and y-intercept 4
 - (d) Perpendicular to 7x 2y = 21 and passing through (4,9)
- 7. Express these equations in parametric form $\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} x_0 \\ y_0 \end{pmatrix} + t \begin{pmatrix} a \\ b \end{pmatrix}$:
 - (a) 2x 3y = 6
 - (b) y = 4x + 5
 - (c) x + 5y = 15
 - (d) 3x + 2y 12 = 0
- 8. Find the equation of the line that:
 - (a) Is parallel to 4x 5y = 20 and is at distance 3 from it
 - (b) Is the perpendicular bisector of the segment joining (2,7) and (8,-1)
 - (c) Passes through (3,4) and makes a 30° angle with the line y=2x
 - (d) Has equal perpendicular distances from (1,2) and (-3,4)
- 9. Four lines form a quadrilateral: $L_1: x+y=6, L_2: 2x-y=3, L_3: x-2y=-4,$ and $L_4: 3x+2y=18.$
 - (a) Find all four vertices of the quadrilateral
 - (b) Calculate the area of the quadrilateral
 - (c) Determine if any sides are parallel
 - (d) Find the equations of the diagonals
- 10. A triangle has vertices at A(2,3), B(6,1), and C(4,7).
 - (a) Find the equation of the Euler line
 - (b) Calculate the coordinates of the orthocenter
 - (c) Find the equation of the nine-point circle
 - (d) Verify that the centroid lies on the Euler line

Section C: Angle Between Lines

- 11. Calculate the acute angle between these pairs of lines:
 - (a) $y = \frac{5}{12}x + 2$ and $y = -\frac{12}{13}x 1$
 - (b) 5x + 12y = 60 and 12x 5y = 25
 - (c) 7x 3y + 2 = 0 and 3x + 7y 5 = 0
 - (d) $y = \tan 22.5^{\circ} \cdot x + 1$ and $y = \tan 112.5^{\circ} \cdot x 3$
- 12. A line passes through (2,5) and makes an angle of 165° with the positive x-axis.
 - (a) Find the equation of the line
 - (b) Find where this line intersects 4x 3y = 12

- (c) Calculate the angle between the line and 4x 3y = 12
- 13. Two lines intersect at (3,4) at an angle of 105° . If one line has gradient $\frac{2}{5}$:
 - (a) Find the two possible gradients for the second line
 - (b) Write the equations of both possible second lines
 - (c) Determine the angle each makes with the positive x-axis
- 14. Find the equations of the lines through (1,3) that make an angle of 30° with the line 2x y = 5.
 - (a) Find the gradient of the given line
 - (b) Apply the tangent addition formula
 - (c) Solve for both possible gradients
 - (d) Write the equations and verify using dot product method

Section D: Equation of a Circle

- 15. Write the equation of the circle with:
 - (a) Center (0,0) and radius $3\sqrt{2}$
 - (b) Center (7, -3) and radius $2\sqrt{5}$
 - (c) Center (-5,4) and passing through (3,-2)
 - (d) Diameter with endpoints (5,2) and (-1,8)
- 16. Express these equations in standard form and find the center and radius:
 - (a) $x^2 + y^2 14x + 12y + 76 = 0$
 - (b) $x^2 + y^2 + 10x 8y 8 = 0$
 - (c) $x^2 + y^2 6x + 10y + 9 = 0$
 - (d) $6x^2 + 6y^2 24x + 36y 66 = 0$
- 17. A circle has center (5, -2) and is tangent to both coordinate axes.
 - (a) Find the two possible radii
 - (b) Write the equations of both possible circles
 - (c) Find the points of tangency for each circle
 - (d) Determine which quadrants each circle lies in
- 18. Three circles: $C_1: x^2 + y^2 = 25$, $C_2: (x-7)^2 + y^2 = 9$, and $C_3: (x-3)^2 + (y-4)^2 = 1$:
 - (a) Determine the relationship between each pair of circles
 - (b) Find external common tangents to C_1 and C_2
 - (c) Calculate the length of external common tangent
 - (d) Find the radical axis of C_1 and C_2
- 19. Find the equation of the circle passing through (3,4), (5,2), and (7,6).
 - (a) Use the determinant method
 - (b) Verify the solution using perpendicular bisectors
 - (c) Calculate the circumradius
 - (d) Find the power of point (0,0) with respect to this circle

Section E: Parabolas

- 20. For parabolas with different parameters:
 - (a) Find the focus and directrix of $(y+3)^2 = 12(x-4)$
 - (b) Find the focus and directrix of $(x-2)^2 = -20(y+1)$
 - (c) Find the equation with vertex at (-2,5) and focus at (1,5)
 - (d) Sketch $(y-1)^2 = -8(x-3)$ showing focus and directrix
- 21. A parabola has vertex at (3,-1) and passes through (7,3).
 - (a) Find the equation if the axis is horizontal
 - (b) Find the equation if the axis is vertical
 - (c) Determine which orientation fits the given points
 - (d) Find the focus and directrix for the correct orientation
- 22. The parabola $y = px^2 + qx + r$ has vertex at (3, -2) and passes through (1, 6).
 - (a) Express in vertex form and find p
 - (b) Use the point (1,6) to find the complete equation
 - (c) Find the focus and directrix
 - (d) Calculate the length of the latus rectum
- 23. A parabolic headlight reflector has equation $x^2 = 20y$ where measurements are in millimeters.
 - (a) Find the focus coordinates
 - (b) If the reflector opening is 60 mm in diameter, find its depth
 - (c) Where should the light bulb be positioned?
 - (d) Find the equation of the tangent at point (10,5)

Section F: Ellipses

- 24. For the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$:
 - (a) When a = 10 and b = 8, find the foci and eccentricity
 - (b) If the eccentricity is $\frac{2}{3}$ and a = 9, find b
 - (c) Find the equation if foci are at $(0, \pm 5)$ and vertices at $(0, \pm 7)$
 - (d) Sketch $\frac{x^2}{49} + \frac{y^2}{25} = 1$
- 25. An ellipse has center at the origin, major axis of length 20, and minor axis of length 12.
 - (a) Write the equation with major axis along x-axis
 - (b) Write the equation with major axis along y-axis
 - (c) Find the eccentricity for both cases
 - (d) Calculate the area for both orientations
- 26. The ellipse $\frac{(x+2)^2}{64} + \frac{(y-1)^2}{36} = 1$ has center at (-2,1).
 - (a) Find all four vertices
 - (b) Calculate the foci coordinates
 - (c) Find the equations of the directrices
 - (d) Calculate the length of focal radii for point (2,4)

- 27. An ellipse has vertices at (3,1) and (3,9) and one focus at (3,3).
 - (a) Find the center and the value of a
 - (b) Calculate the value of c and hence b
 - (c) Write the equation of the ellipse
 - (d) Find the second focus and both directrices

Section G: Hyperbolas

- 28. For the hyperbola $\frac{x^2}{a^2} \frac{y^2}{b^2} = 1$:
 - (a) When a = 8 and b = 15, find the foci and eccentricity
 - (b) Find the asymptotes when a = 7 and b = 24
 - (c) If the asymptotes are $y = \pm \frac{4}{3}x$ and a = 6, find b
 - (d) Sketch $\frac{x^2}{16} \frac{y^2}{9} = 1$
- 29. A hyperbola has equation $\frac{y^2}{49} \frac{x^2}{25} = 1$.
 - (a) Identify the orientation and transverse axis
 - (b) Find the vertices and foci
 - (c) Write the asymptote equations
 - (d) Calculate the eccentricity and latus rectum
- 30. For the rectangular hyperbola xy = k:
 - (a) When k = 48, find intersections with circle $x^2 + y^2 = 25$
 - (b) Find both tangents to xy = 50 from external point (10, 2)
 - (c) Prove that the area of triangle formed by tangent at $(t, \frac{k}{t})$ and coordinate axes is 2k
 - (d) Find the locus of midpoints of chords of xy = 16 that pass through (4,2)
- 31. A hyperbola has center at (2,3), one vertex at (6,3), and passes through (8,7).
 - (a) Find the value of a
 - (b) Use the point (8,7) to find b
 - (c) Write the complete equation
 - (d) Find the asymptote equations and foci

Section H: Mixed Conic Sections

- 32. Analyze and classify these conic sections:
 - (a) $36x^2 + 25y^2 = 900$
 - (b) $16x^2 25y^2 = 400$
 - (c) $(x+1)^2 = 20(y-2)$
 - (d) $x^2 + y^2 8x + 10y + 16 = 0$
- 33. For conics with cross terms:
 - (a) Classify: $x^2 + 6xy + 9y^2 12x 36y + 36 = 0$
 - (b) Classify: $4x^2 + 9xy + 4y^2 10x 10y 5 = 0$
 - (c) Find rotation angle for: $5x^2 + 8xy + 5y^2 18x 18y + 9 = 0$

- (d) Apply rotation $\theta = 45^{\circ}$ to: $x^2 + 4xy + y^2 8 = 0$
- 34. Solve these intersection problems:
 - (a) Line 3x 2y = 6 and circle $x^2 + y^2 = 13$
 - (b) Line x = 8 and parabola $y^2 = 16x$
 - (c) Ellipse $\frac{x^2}{36}+\frac{y^2}{16}=1$ and hyperbola $\frac{x^2}{9}-\frac{y^2}{16}=1$
 - (d) Circle $(x-3)^2 + (y-2)^2 = 13$ and rectangular hyperbola xy = 6
- 35. Find tangent and normal equations:
 - (a) Tangent to circle $x^2 + y^2 + 6x 4y 12 = 0$ at (1,5)
 - (b) Normal to parabola $(y+2)^2 = 12(x-1)$ at (4,4)
 - (c) Tangent to ellipse $\frac{x^2}{100} + \frac{y^2}{64} = 1$ at $(6, \frac{32}{5})$
 - (d) Normal to hyperbola $\frac{x^2}{49} \frac{y^2}{25} = 1$ at $(7\sqrt{2}, 5)$

Section I: Applications and Problem Solving

- 36. A highway overpass has a semi-elliptical arch with span 24 meters and maximum height 8 meters.
 - (a) Find the equation of the ellipse
 - (b) Calculate clearance heights at 3, 6, and 9 meters from center
 - (c) A truck convoy with vehicles 3.5 meters wide and 6.8 meters tall needs to pass through. Assess feasibility
 - (d) Find the area under the arch
- 37. A parabolic microphone has diameter 1.2 meters and depth 0.15 meters.
 - (a) Find the equation of the parabolic reflector
 - (b) Calculate the focal length
 - (c) Where should the microphone sensor be positioned?
 - (d) If the frequency response requires the sensor to be 0.2 meters from the vertex, how should the parabola be redesigned?
- 38. A long-range navigation (LORAN) system uses hyperbolic positioning. Stations A and B are 300 km apart, and a ship receives signals with time difference 0.001 seconds.
 - (a) Calculate the distance difference between ship and stations
 - (b) Set up coordinate system and find the hyperbola equation
 - (c) Find the eccentricity of this navigation hyperbola
 - (d) If stations C and D provide another hyperbola, describe the intersection method for position finding
- 39. A satellite in elliptical orbit has perigee 400 km and apogee 1600 km above Earth's surface. Earth's radius is 6400 km.
 - (a) Calculate the semi-major and semi-minor axes of the orbit
 - (b) Find the eccentricity of the orbital ellipse
 - (c) Determine the focal distance and Earth's position
 - (d) Calculate the orbital period using Kepler's third law (if orbital mechanics constants are given)

- 40. A laser light show projects beams that follow parabolic paths. One beam starts at origin, reaches maximum height 10 meters at horizontal distance 15 meters, and returns to ground level.
 - (a) Find the equation of the beam's parabolic path
 - (b) Calculate the beam height at horizontal distances 5, 10, and 20 meters
 - (c) Determine the total horizontal range of the beam
 - (d) Find the angle of the beam path at the starting point

Answer Space

Use this space for your working and answers.

END OF TEST

Total marks: 150

For more resources and practice materials, visit: stepupmaths.co.uk